


MASH Data Profiles

Section A. Milwaukee zip code defined areas

Section B. 2000 U.S. Census Data

Section C. STD surveillance Data

Section D. HIV Surveillance Data



MASH Data Profile

Section A. Milwaukee zip code defined areas

Tables and figures:	<u>Page</u>
Figure 1a. Boundaries of zip code defined areas within Milwaukee County, Wisconsin	A-2
Figure 2a. African American population by census tract, Milwaukee County, Wisconsin	A-3
Figure 3a. Hispanic population, by census tract, Milwaukee County, Wisconsin	A-4


Notes:

This section defines two geographic areas within the city of Milwaukee that have the highest sexually transmitted (STD), HIV and teen pregnancy rates in Wisconsin. Profiles are based on 2000 U.S. Census data.


- Area 1 comprises all zip codes with a population greater than or equal to 50% African American in the 2000 U.S. Census. This area includes eight zip codes on Milwaukee's near north side (figure 1a). These zip codes are predominately within the City of Milwaukee, but also part of the surrounding communities of Glendale, River Hills and Brown Deer.
 - o The population of the city of Milwaukee was 37% African American in the 2000 U.S. Census.
 - o In aggregate, Area 1 was 68% African American. Approximately 81% of all African Americans resided in this area.
 - o Area 1 was 4% Hispanic.

- Area 2 comprises all zip codes with a population greater than or equal to 33% Hispanic. This area includes two zip codes on the near south side (figure 1a), predominately within the city of Milwaukee, but also part of the adjacent community of West Milwaukee.
 - o The population of the City of Milwaukee was 12% Hispanic in the 2000 U.S. Census.
 - o Area 2 was 50% Hispanic, and approximately 68% of all Hispanics in the City of Milwaukee resided in this area.
 - o Area 2 was 6% African American in 2000.

Figure 1a. Boundaries of zip code defined areas within Milwaukee County, Wisconsin




**Figure 2a. African American population by census tract
Milwaukee County, Wisconsin***



* 2000 U.S. Census data.

**Figure 3a. Hispanic population, by census tract
Milwaukee County, Wisconsin***



* 2000 U.S. Census data.

MASH Data Profile

Section B. 2000 U.S. Census Data

Tables and figures:	<u>Page</u>
Table 1b. Characteristics of the population, by area, 2000 U.S. Census data	B-2
Table 2b. Characteristics of the population, Area 1 by zip code, 2000 U.S. Census data	B-3-B-4
Table 3b. Characteristics of the population, Area 2 by zip code, 2000 U.S. Census data	B-5
Figure 1b. Population density by census tract, Milwaukee County, Wisconsin	B-6
Figure 2b. Median age by census tract, Milwaukee County, Wisconsin.....	B-7
Figure 3b. Female population by census tract, Milwaukee County, Wisconsin.....	B-8
Figure 4b. Median household income by census tract, Milwaukee County, Wisconsin	B-9
Figure 5b. Median earnings for a year-round male worker by census tract, Milwaukee County, Wisconsin	B-10
Figure 6b. Median earnings for a year-round female worker, by census tract, Milwaukee County, Wisconsin	B-11
Figure 7b. Percent of persons 25 years or older without a high school diploma, by census tract, Milwaukee County, Wisconsin	B-12
Figure 8b. Percent of 16 year and older population not in the labor force by census tract, Milwaukee County, Wisconsin	B-13
Figure 9b. Percent of 16 years and older population that commute by car by census tract, Milwaukee County, Wisconsin	B-14

Notes:

- This section provides a demographic profile of the zip code-defined areas described in Section A. This data is based on information from the 2000 U.S. Census.
- The populations of Area 1 and Area 2 include all residents within the specific zip codes. A large majority of persons living in these areas are residents of the City of Milwaukee, but because some zip codes cross city lines, a small number are residents of other places.
- Figures 1b to 9b show select demographic and economic characteristics by Census Tract within Milwaukee County with the zip code-defined areas superimposed.

Table 1b. Characteristics of the population, by area, 2000 U.S. Census data.

	Area #1(a)		Area #2(b)		City total	
	Population	(%)	Population	(%)	Population	(%)
Total	263,606	100%	97,332	100%	596,974	100%
Race						
White	64,040	24%	53,623	55%	298,379	50%
African American	180,015	68%	5,610	6%	222,933	37%
American Indian	1,233	0%	2,256	2%	5,212	1%
Asian/Pacific Islander	8,170	3%	3,691	4%	17,571	3%
Other	4,122	2%	27,329	28%	36,428	6%
Multi-racial	6,026	2%	4,823	5%	16,150	3%
Hispanic ethnicity						
Hispanic	10,028	4%	48,550	50%	71,646	12%
Non-Hispanic	253,578	96%	48,782	50%	525,328	88%
Sex						
Male	121,026	46%	49,700	51%	285,363	48%
15-19	11,068	4%	4,423	5%	23,579	4%
20-24	7,529	3%	4,830	5%	24,835	4%
Female	142,580	54%	47,632	49%	311,611	52%
15-19	11,273	4%	4,093	4%	23,652	4%
20-24	9,999	4%	3,962	4%	26,979	5%
Age						
<5	23,375	9%	9,349	10%	47,545	8%
5-9	27,785	11%	9,301	10%	50,555	8%
10-14	26,680	10%	8,133	8%	46,688	8%
15-19	22,341	8%	8,516	9%	47,231	8%
20-24	17,528	7%	8,792	9%	51,814	9%
25-34	36,566	14%	16,321	17%	94,451	16%
35-44	37,980	14%	13,681	14%	85,792	14%
45-54	30,637	12%	9,362	10%	68,351	11%
55+	40,714	15%	13,877	14%	104,547	18%

a. Area 1 includes zip codes 53205, 53206, 53208, 53209, 53210, 53212, 53216 and 53218.

b. Area 2 includes zip codes 53204 and 53215.

Table 2b. Characteristics of the population, Area 1 by zip code, 2000 U.S. Census data

	Zip code							
	53205		53206		53208		53209	
	Population	(%)	Population	(%)	Population	(%)	Population	(%)
Total	10,875	100%	32,868	100%	35,150	100%	49,019	100%
Race								
White	468	4%	493	1%	12,026	34%	16,094	33%
African American	9,434	87%	31,587	96%	17,851	51%	30,779	63%
American Indian	25	0%	84	0%	330	1%	162	0%
Asian/Pacific Islander	568	5%	136	0%	3,032	9%	670	1%
Other	185	2%	121	0%	716	2%	429	1%
Multi-racial	195	2%	447	1%	1,195	3%	885	2%
Hispanic ethnicity								
Hispanic	440	4%	427	1%	1,975	6%	1,132	2%
Non-Hispanic	10,435	96%	32,441	99%	33,175	94%	47,887	98%
Sex								
Male	4,958	46%	14,787	45%	16,935	48%	22,176	45%
15-19	472	4%	1,519	5%	1,556	4%	1,893	4%
20-24	280	3%	859	3%	1,097	3%	1,285	3%
Female	5,917	54%	18,081	55%	18,215	52%	26,843	55%
15-19	572	5%	1,644	5%	1,549	4%	1,852	4%
20-24	472	4%	1,163	4%	1,374	4%	1,717	4%
Age								
<5	1,127	10%	3,178	10%	3,316	9%	3,750	8%
5-9	1,360	13%	3,909	12%	3,737	11%	4,535	9%
10-14	1,362	13%	3,882	12%	3,575	10%	4,347	9%
15-19	1,044	10%	3,163	10%	3,105	9%	3,745	8%
20-24	752	7%	2,022	6%	2,471	7%	3,002	6%
25-34	1,284	12%	4,004	12%	5,325	15%	6,305	13%
35-44	1,360	13%	4,310	13%	5,307	15%	7,013	14%
45-54	960	9%	3,181	10%	4,061	12%	6,308	13%
55+	1,626	15%	5,219	16%	4,253	12%	10,014	20%


Table 2b. (continued) Characteristics of the population, Area 1 by zip code, 2000 U.S. Census data

	Zip code							
	53210		53212		53216		53218	
	Population	(%)	Population	(%)	Population	(%)	Population	(%)
Total	30,509	100%	30,801	100%	33,871	100%	40,513	100%
Race								
White	7,214	24%	8,597	28%	6,657	20%	12,491	31%
African American	21,467	70%	19,392	63%	25,648	76%	23,857	59%
American Indian	113	0%	220	1%	110	0%	189	0%
Asian/Pacific Islander	647	2%	212	1%	444	1%	2,461	6%
Other	333	1%	1,559	5%	315	1%	464	1%
Multi-racial	735	2%	821	3%	697	2%	1,051	3%
Hispanic ethnicity								
Hispanic	900	3%	3,181	10%	729	2%	1,244	3%
Non-Hispanic	29,609	97%	27,620	90%	33,142	98%	39,269	97%
Sex								
Male	13,763	45%	14,526	47%	15,195	45%	18,686	46%
15-19	1,360	4%	1,185	4%	1,408	4%	1,675	4%
20-24	844	3%	1,170	4%	915	3%	1,079	3%
Female	16,746	55%	16,275	53%	18,676	55%	21,827	54%
15-19	1,371	4%	1,219	4%	1,378	4%	1,688	4%
20-24	1,166	4%	1,558	5%	1,132	3%	1,417	3%
Age								
<5	2,967	10%	2,666	9%	2,739	8%	3,632	9%
5-9	3,559	12%	2,983	10%	3,315	10%	4,387	11%
10-14	3,274	11%	2,862	9%	3,208	9%	4,170	10%
15-19	2,731	9%	2,404	8%	2,786	8%	3,363	8%
20-24	2,010	7%	2,728	9%	2,047	6%	2,496	6%
25-34	4,672	15%	4,959	16%	4,488	13%	5,529	14%
35-44	4,566	15%	4,389	14%	5,151	15%	5,884	15%
45-54	3,338	11%	3,410	11%	4,684	14%	4,695	12%
55+	3,392	11%	4,400	14%	5,453	16%	6,357	16%

Table 3b. Characteristics of the population, Area 2 by zip code, 2000 U.S. Census data


	Zip code			
	53204		53215	
	Population	(%)	Population	(%)
Total	42,382	100%	54,950	100%
Race				
White	18,642	44%	34,981	64%
African American	3,486	8%	2,124	4%
American Indian	919	2%	1,337	2%
Asian/Pacific Islander	1,409	3%	2,282	4%
Other	15,488	37%	11,841	22%
Multi-racial	2,438	6%	2,385	4%
Hispanic ethnicity				
Hispanic	27,472	65%	21,078	38%
Non-Hispanic	14,910	35%	33,872	62%
Sex				
Male	22,595	53%	27,105	49%
15-19	2,126	5%	2,297	4%
20-24	2,543	6%	2,287	4%
Female	19,787	47%	27,845	51%
15-19	1,913	5%	2,180	4%
20-24	1,807	4%	2,155	4%
Age				
<5	4,342	10%	5,007	9%
5-9	4,425	10%	4,876	9%
10-14	3,858	9%	4,275	8%
15-19	4,039	10%	4,477	8%
20-24	4,350	10%	4,442	8%
25-34	7,413	17%	8,908	16%
35-44	5,644	13%	8,037	15%
45-54	3,698	9%	5,664	10%
55+	4,613	11%	9,264	17%

**Figure 1b. Population density by census tract
Milwaukee County, Wisconsin***




* 2000 U.S. Census data.

**Figure 2b. Median age by census tract
Milwaukee County, Wisconsin***




* 2000 U.S. Census data.

**Figure 3b. Female population by census tract
Milwaukee County, Wisconsin***




* 2000 U.S. Census data.

**Figure 4b. Median household income by census tract
Milwaukee County, Wisconsin***




* 2000 U.S. Census data.

**Figure 5b. Median earnings for a year-round male worker
by census tract, Milwaukee County, Wisconsin***




* 2000 U.S. Census data.

**Figure 6b. Median earnings for a year-round female worker
by census tract, Milwaukee County, Wisconsin***




* 2000 U.S. Census data.

Figure 7b. Percent of persons 25 years or older without a high school diploma, by census tract, Milwaukee County, Wisconsin*




* 2000 U.S. Census data.

Figure 8b. Percent of 16 year and older population not in the labor force by census tract, Milwaukee County, Wisconsin*



* 2000 U.S. Census data.

Figure 9b. Percent of 16 years and older population that commute by car by census tract, Milwaukee County, Wisconsin*



* 2000 U.S. Census data.

MASH Data Profile

Section C. STD surveillance Data

Tables and figures	<u>Page</u>
Table 1c. Reported STD cases diagnosed in 2004, zip code area 1	C-2
Table 2c. Reported STD cases diagnosed in 2004, zip code 53205.....	C-3
Table 3c. Reported STD cases diagnosed in 2004, zip code 53206.....	C-4
Table 4c. Reported STD cases diagnosed in 2004, zip code 53208.....	C-5
Table 5c. Reported STD cases diagnosed in 2004, zip code 53209.....	C-6
Table 6c. Reported STD cases diagnosed in 2004, zip code 53210.....	C-7
Table 7c. Reported STD cases diagnosed in 2004, zip code 53212.....	C-8
Table 8c. Reported STD cases diagnosed in 2004, zip code 53216.....	C-9
Table 9c. Reported STD cases diagnosed in 2004, zip code 53218.....	C-10
Table 10c. Reported STD cases diagnosed in 2004, zip code area 2	C-11
Table 11c. Reported STD cases diagnosed in 2004, zip code 53204	C-12
Table 12c. Reported STD cases diagnosed in 2004, zip code 53215.....	C-13
Figure 1c. Reported cases of sexually transmitted disease per 100,000 population, by zip code, 2004, Milwaukee County, Wisconsin	C-14
Figure 2c. Reported cases of sexually transmitted disease per 100,000 population, persons 15-19 years of age, by zip code, 2004, Milwaukee County, Wisconsin	C-15

Notes:

- This section presents STD case surveillance data collected by the STD Program of the Wisconsin Division of Public Health. All tables and figures are for cases diagnosed in the year 2004.
- The zip code-defined areas used in this section are described in Section A. Case numbers include all reported cases within the specified geographic area. Because some geographic areas cross city lines, a small number of cases may reside outside of the City of Milwaukee.
- Rates are calculated using 2000 U.S. Census data.

Table 1c. Reported STD cases diagnosed in 2004, zip code area 1*

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate**
Total	6191	2426	38	314	8969	100%	3,402
Race							
White	124	45	7	13	189	2%	-
African American	3708	1595	29	123	5455	61%	-
American Indian	11	6	0	1	18	0%	-
Asian/Pacific Islander	28	5	0	1	34	0%	-
Other	49	15	2	4	70	1%	-
Unknown	2271	760	0	172	3203	36%	-
Hispanic ethnicity							
Hispanic	71	21	3	3	98	1%	-
Non-Hispanic	3487	1505	35	117	5144	57%	-
Unknown	2633	900	0	194	3727	42%	-
Sex							
Male	1861	1055	26	83	3025	34%	2,499
15-19	687	329	2	10	1028	11%	9,288
20-24	529	323	1	22	875	10%	11,622
Female	4330	1371	12	231	5944	66%	4,169
15-19	1989	640	1	53	2683	30%	23,800
20-24	1437	378	0	69	1884	21%	18,842
Age							
<5	4	1	1	1	7	0%	-
5-9	4	1	0	1	6	0%	-
10-14	201	77	0	4	282	3%	1,057
15-19	2676	969	3	63	3711	41%	16,611
20-24	1966	701	1	91	2759	31%	15,741
25-34	1047	461	6	86	1600	18%	4,376
35-44	216	153	13	35	417	5%	1,098
45-54	62	53	13	19	147	2%	480
55+	15	10	1	14	40	0%	98

* Area 1 includes zip codes 53205, 53206, 53208, 53209, 53210, 53212, 53216 and 53218.

**Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 2c. Reported STD cases diagnosed in 2004, zip code 53205

Category	All reported STDs				Cases	Percent	Rate*
	Chlamydia	Gonorrhea	Syphilis	Genital herpes			
Total	311	129	4	18	462	100%	4,248
Race							
White	6	0	0	0	6	1%	-
African American	200	96	4	9	309	67%	-
American Indian	0	0	0	0	0	0%	-
Asian/Pacific Islander	5	2	0	1	8	2%	-
Other	3	0	0	0	3	1%	-
Unknown	97	31	0	8	136	29%	-
Hispanic ethnicity							
Hispanic	2	0	0	0	2	0%	-
Non-Hispanic	198	96	4	9	307	66%	-
Unknown	111	33	0	9	153	33%	-
Sex							
Male	230	81	4	13	328	71%	6,616
15-19	38	15	0	1	54	-	11,441
20-24	24	18	0	2	44	-	15,714
Female	81	48	0	5	134	29%	2,265
15-19	88	34	0	4	126	-	22,028
20-24	81	25	0	3	109	-	23,093
Age							
<5	0	0	0	0	0	0%	-
5-9	0	0	0	0	0	0%	-
10-14	8	6	0	0	14	3%	-
15-19	126	49	0	5	180	39%	17,241
20-24	105	43	0	5	153	33%	20,346
25-34	58	21	1	4	84	18%	6,542
35-44	12	7	1	1	21	5%	1,544
45-54	0	2	2	3	7	2%	-
55+	2	1	0	0	3	1%	-

* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 3c. Reported STD cases diagnosed in 2004, zip code 53206

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate*
Total	1142	475	10	50	1677	100%	5,102
Race							
White	11	7	0	0	18	1%	-
African American	737	322	10	27	1096	65%	-
American Indian	1	1	0	0	2	0%	-
Asian/Pacific Islander	1	0	0	0	1	0%	-
Other	4	3	0	0	7	0%	-
Unknown	388	142	0	23	553	33%	-
Hispanic ethnicity							
Hispanic	5	3	0	0	8	0%	-
Non-Hispanic	667	305	10	23	1005	60%	-
Unknown	470	167	0	27	664	40%	-
Sex							
Male	328	221	7	14	570	34%	3,855
15-19	148	79	1	2	230	14%	15,142
20-24	104	74	0	4	182	11%	21,187
Female	814	254	3	36	1107	66%	6,122
15-19	365	117	0	9	491	29%	29,866
20-24	239	65	0	12	316	19%	27,171
Age							
<5	0	1	1	0	2	0%	-
5-9	0	0	0	0	0	0%	-
10-14	40	13	0	0	53	3%	1,365
15-19	513	196	1	11	721	43%	22,795
20-24	343	139	0	16	498	30%	24,629
25-34	185	90	1	12	288	17%	7,193
35-44	44	23	4	5	76	5%	1,763
45-54	13	10	3	3	29	2%	912
55+	4	3	0	3	10	1%	-

* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 4c. Reported STD cases diagnosed in 2004, zip code 53208

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate*
Total	698	294	5	39	1036	100%	2,947
Race							
White	20	10	3	2	35	3%	-
African American	434	192	1	17	644	62%	-
American Indian	1	1	0	0	2	0%	-
Asian/Pacific Islander	10	0	0	0	10	1%	-
Other	2	2	1	1	6	1%	-
Unknown	231	89	0	19	339	33%	-
Hispanic ethnicity							
Hispanic	11	5	1	1	18	2%	-
Non-Hispanic	422	183	4	17	626	60%	-
Unknown	265	106	0	21	392	38%	-
Sex							
Male	201	120	4	13	338	33%	1,996
15-19	78	35	0	1	114	11%	7,326
20-24	64	40	0	5	109	11%	9,936
Female	497	174	1	26	698	67%	3,832
15-19	243	83	0	8	334	32%	21,562
20-24	145	40	0	5	190	18%	13,828
Age							
<5	1	0	0	0	1	0%	-
5-9	1	0	0	0	1	0%	-
10-14	27	10	0	1	38	4%	1,063
15-19	321	118	0	9	448	43%	14,428
20-24	209	80	0	10	299	29%	12,100
25-34	110	60	1	9	180	17%	3,380
35-44	21	21	3	9	54	5%	1,018
45-54	7	5	1	1	14	1%	-
55+	1	0	0	0	1	0%	-

* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 5c. Reported STD cases diagnosed in 2004, zip code 53209

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate*
Total	958	325	5	59	1347	100%	2,748
Race							
White	20	6	0	3	29	2%	-
African American	554	202	5	23	784	58%	-
American Indian	0	0	0	0	0	0%	-
Asian/Pacific Islander	1	1	0	0	2	0%	-
Other	4	2	0	1	7	1%	-
Unknown	379	114	0	32	525	39%	-
Hispanic ethnicity							
Hispanic	9	2	0	0	11	1%	-
Non-Hispanic	509	182	5	20	716	53%	-
Unknown	440	141	0	39	620	46%	-
Sex							
Male	265	142	4	16	427	32%	1,926
15-19	102	45	0	3	150	11%	7,924
20-24	76	43	1	4	124	9%	9,650
Female	693	183	1	43	920	68%	3,427
15-19	278	78	0	10	366	27%	19,762
20-24	268	59	0	10	337	25%	19,627
Age							
<5	0	0	0	0	0	0%	-
5-9	0	0	0	1	1	0%	-
10-14	26	7	0	2	35	3%	805
15-19	380	123	0	13	516	38%	13,778
20-24	344	102	1	14	461	34%	15,356
25-34	159	60	2	16	237	18%	3,759
35-44	35	22	1	6	64	5%	913
45-54	10	11	1	2	24	2%	380
55+	4	0	0	5	9	1%	-

* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 6c. Reported STD cases diagnosed in 2004, zip code 53210

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate*
Total	821	302	5	36	1164	100%	3,815
Race							
White	11	5	1	2	19	2%	-
African American	495	197	4	8	704	60%	-
American Indian	2	0	0	0	2	0%	-
Asian/Pacific Islander	0	1	0	0	1	0%	-
Other	5	0	0	0	5	0%	-
Unknown	308	99	0	26	433	37%	-
Hispanic ethnicity							
Hispanic	6	2	1	0	9	1%	-
Non-Hispanic	470	191	4	10	675	58%	-
Unknown	345	109	0	26	480	41%	-
Sex							
Male	222	117	4	4	347	30%	2,521
15-19	84	32	0	0	116	10%	8,529
20-24	71	33	0	1	105	9%	12,441
Female	599	185	1	32	817	70%	4,879
15-19	270	97	1	5	373	32%	27,206
20-24	185	44	0	10	239	21%	20,497
Age							
<5	1	0	0	1	2	0%	-
5-9	1	0	0	0	1	0%	-
10-14	27	12	0	0	39	3%	1,191
15-19	354	129	1	5	489	42%	17,906
20-24	256	77	0	11	344	30%	17,114
25-34	149	58	0	14	221	19%	4,730
35-44	26	18	2	3	49	4%	1,073
45-54	7	7	2	1	17	1%	-
55+	0	1	0	1	2	0%	-

* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 7c. Reported STD cases diagnosed in 2004, zip code 53212

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate*
Total	755	342	1	26	1124	100%	3,649
Race							
White	25	8	1	5	39	3%	-
African American	426	224	0	8	658	59%	-
American Indian	5	2	0	0	7	1%	-
Asian/Pacific Islander	1	0	0	0	1	0%	-
Other	14	6	0	1	21	2%	-
Unknown	284	102	0	12	398	35%	-
Hispanic ethnicity							
Hispanic	22	6	0	1	29	3%	-
Non-Hispanic	410	209	1	8	628	56%	-
Unknown	323	127	0	17	467	42%	-
Sex							
Male	213	141	1	5	360	32%	2,478
15-19	74	42	0	1	117	10%	9,873
20-24	74	38	0	2	114	10%	9,744
Female	542	201	0	21	764	68%	4,694
15-19	254	79	0	4	337	30%	27,646
20-24	164	54	0	4	222	20%	14,249
Age							
<5	2	0	0	0	2	0%	-
5-9	1	0	0	0	1	0%	-
10-14	26	15	0	0	41	4%	1,433
15-19	328	121	0	5	454	40%	18,885
20-24	238	92	0	6	336	30%	12,317
25-34	131	74	0	8	213	19%	4,295
35-44	22	28	1	3	54	5%	1,230
45-54	6	7	0	4	17	2%	-
55+	1	5	0	0	6	1%	-

* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 8c. Reported STD cases diagnosed in 2004, zip code 53216

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate*
Total	651	268	3	39	961	100%	2,837
Race							
White	8	3	0	0	11	1%	-
African American	385	174	3	17	579	60%	-
American Indian	1	2	0	1	4	0%	-
Asian/Pacific Islander	3	1	0	0	4	0%	-
Other	3	0	0	1	4	0%	-
Unknown	251	88	0	20	359	37%	-
Hispanic ethnicity							
Hispanic	2	2	0	1	5	1%	-
Non-Hispanic	359	161	3	16	539	56%	-
Unknown	290	105	0	22	417	43%	-
Sex							
Male	193	121	1	9	324	34%	2,132
15-19	77	40	0	2	119	12%	8,452
20-24	57	48	0	3	108	11%	11,803
Female	458	147	2	30	637	66%	3,411
15-19	209	72	0	3	284	30%	20,610
20-24	155	41	0	14	210	22%	18,551
Age							
<5	0	0	0	0	0	0%	-
5-9	0	1	0	0	1	0%	-
10-14	14	3	0	1	18	2%	561
15-19	286	112	0	5	403	42%	14,465
20-24	212	89	0	17	318	33%	15,535
25-34	98	42	1	7	148	15%	3,298
35-44	26	17	0	5	48	5%	932
45-54	12	4	2	2	20	2%	427
55+	3	0	0	2	5	1%	-

* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 9c. Reported STD cases diagnosed in 2004, zip code 53218

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate*
Total	855	291	5	47	1198	100%	2,957
Race							
White	23	6	2	1	32	3%	-
African American	477	188	2	14	681	57%	-
American Indian	1	0	0	0	1	0%	-
Asian/Pacific Islander	7	0	0	0	7	1%	-
Other	14	2	1	0	17	1%	-
Unknown	333	95	0	32	460	38%	-
Hispanic ethnicity							
Hispanic	14	1	1	0	16	1%	-
Non-Hispanic	452	178	4	14	648	54%	-
Unknown	389	112	0	33	534	45%	-
Sex							
Male	209	112	1	9	331	28%	1,771
15-19	86	41	1	0	128	11%	7,642
20-24	59	29	0	1	89	7%	8,248
Female	646	179	4	38	867	72%	3,972
15-19	282	80	0	10	372	31%	22,038
20-24	200	50	0	11	261	22%	18,419
Age							
<5	0	0	0	0	0	0%	-
5-9	1	0	0	0	1	0%	-
10-14	33	11	0	0	44	4%	1,055
15-19	368	121	1	10	500	42%	14,868
20-24	259	79	0	12	350	29%	14,022
25-34	157	56	0	16	229	19%	4,142
35-44	30	17	1	3	51	4%	867
45-54	7	7	2	3	19	2%	-
55+	0	0	1	3	4	0%	-

* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 10c. Reported STD cases diagnosed in 2004, zip code area 2*

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate**
Total	896	173	10	72	1151	100%	1,183
Race							
White	205	28	9	12	254	22%	-
African American	126	49	0	3	178	15%	-
American Indian	14	1	0	0	15	1%	-
Asian/Pacific Islander	3	0	1	1	5	0%	-
Other	108	9	0	9	126	11%	-
Unknown	440	86	0	47	573	50%	-
Hispanic ethnicity							
Hispanic	227	15	7	20	269	23%	-
Non-Hispanic	200	64	3	7	274	24%	-
Unknown	469	94	0	45	608	53%	-
Sex							
Male	210	64	7	13	294	26%	592
15-19	55	13	0	2	70	6%	1,583
20-24	81	15	0	3	99	9%	2,050
Female	686	109	3	59	857	74%	1,799
15-19	247	38	0	6	291	25%	7,110
20-24	231	34	0	18	283	25%	7,143
Age							
<5	0	0	0	1	1	0%	-
5-9	0	0	0	0	0	0%	-
10-14	33	6	0	0	39	3%	480
15-19	302	51	0	8	361	31%	4,239
20-24	312	49	0	21	382	33%	4,345
25-34	204	48	2	16	270	23%	1,654
35-44	36	13	2	15	66	6%	482
45-54	5	5	3	8	21	2%	224
55+	4	1	3	3	11	1%	-

* Area 2 includes zip codes 53204 and 53215.

**Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 11c. Reported STD cases diagnosed in 2004, zip code 53204

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate*
Total	487	93	3	41	624	100%	1,472
Race							
White	111	11	3	8	133	21%	-
African American	79	30	0	3	112	18%	-
American Indian	8	0	0	0	8	1%	-
Asian/Pacific Islander	0	0	0	0	0	0%	-
Other	65	7	0	3	75	12%	-
Unknown	224	45	0	27	296	47%	-
Hispanic ethnicity							
Hispanic	134	8	3	11	156	25%	-
Non-Hispanic	110	34	0	5	149	24%	-
Unknown	243	51	0	25	319	51%	-
Sex							
Male	113	39	2	11	165	26%	730
15-19	26	5	0	2	33	5%	1,552
20-24	50	9	0	3	62	10%	2,438
Female	374	54	1	30	459	74%	2,320
15-19	140	17	0	1	158	25%	8,259
20-24	118	15	0	11	144	23%	7,969
Age							
<5	0	0	0	1	1	0%	-
5-9	0	0	0	0	0	0%	-
10-14	18	3	0	0	21	3%	544
15-19	166	22	0	3	191	31%	4,729
20-24	168	24	0	14	206	33%	4,736
25-34	110	31	1	9	151	24%	2,037
35-44	20	8	0	10	38	6%	673
45-54	3	4	1	2	10	2%	-
55+	2	1	1	2	6	1%	-


* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Table 12c. Reported STD cases diagnosed in 2004, zip code 53215

Category					All reported STDs		
	Chlamydia	Gonorrhea	Syphilis	Genital herpes	Cases	Percent	Rate*
Total	409	80	7	31	527	100%	959
Race							
White	94	17	6	4	121	23%	-
African American	47	19	0	0	66	13%	-
American Indian	6	1	0	0	7	1%	-
Asian/Pacific Islander	3	0	1	1	5	1%	-
Other	43	2	0	6	51	10%	-
Unknown	216	41	0	20	277	53%	-
Hispanic ethnicity							
Hispanic	93	7	4	9	113	21%	-
Non-Hispanic	90	30	3	2	125	24%	-
Unknown	226	43	0	20	289	55%	-
Sex							
Male	97	25	5	2	129	24%	476
15-19	29	8	0	0	37	7%	1,611
20-24	31	6	0	0	37	7%	1,618
Female	312	55	2	29	398	76%	1,429
15-19	107	21	0	5	133	25%	6,101
20-24	113	19	0	7	139	26%	6,450
Age							
<5	0	0	0	0	0	0%	-
5-9	0	0	0	0	0	0%	-
10-14	15	3	0	0	18	3%	421
15-19	136	29	0	5	170	32%	3,797
20-24	144	25	0	7	176	33%	3,962
25-34	94	17	1	7	119	23%	1,336
35-44	16	5	2	5	28	5%	348
45-54	2	1	2	6	11	2%	-
55+	2	0	2	1	5	1%	-


* Rate per 100,000 population. Race-specific and Hispanic ethnicity-specific rates not calculated because of a high percentage of unknowns. Rates not calculated for categories with less than 20 cases.

Figure 1c. Reported cases of sexually transmitted disease* per 100,000 population, by zip code, 2004, Milwaukee County, Wisconsin



* Wisconsin Division of Public Health data.

**Figure 2c. Reported cases of sexually transmitted disease* per 100,000 population, persons 15-19 years of age, by zip code, 2004
Milwaukee County, Wisconsin**



* Wisconsin Division of Public Health data.

MASH Data Profile

Section D. HIV Surveillance Data

Tables and figures	<u>Page</u>
Table 1d. Reported cases of HIV infection, by area, Milwaukee County, Cases reported through December 31, 2005.....	D-2
Table 2d. Reported cases of HIV infection, Milwaukee County, Cases reported through December 31, 2005	D-3
Table 3d. Reported cases of HIV infection, City of Milwaukee, Cases reported through December 31, 2005	D-4
Table 4d. Reported cases of HIV infection by sex and risk exposure category, City of Milwaukee, Cases reported through December 31, 2005.....	D-5
Table 5d. Reported cases of HIV infection, Milwaukee County exclusive of the City of Milwaukee, Cases reported through December 31, 2005.....	D-6
Table 6d. Reported cases of HIV infection, City of Milwaukee by zip code area, Cases reported through December 31, 2005	D-7
Table 7d. Reported cases of HIV infection, Area 1, Cases reported through December 31, 2005.....	D-8
Table 8d. Reported cases of HIV infection, Area 2, Cases reported through December 31, 2005.....	D-9
Table 9d. Reported cases of HIV infection, City of Milwaukee outside of Area 1 and Area 2, Cases reported through December 31, 2005.....	D-10
Figure 1d. Persons living with HIV infection per 100,000 population, by zip code, December 31, 2005, Milwaukee County, Wisconsin	D-11
Figure 2d. Males living with HIV infection per 100,000 population, by zip code, December 31, 2005, Milwaukee County, Wisconsin	D-12
Figure 3d. Females living with HIV infection per 100,000 population, by zip code, December 31, 2005, Milwaukee County, Wisconsin	D-13

Notes:

- This section presents HIV case surveillance data collected by the AIDS/HIV Program of the Wisconsin Division of Public Health. All tables and figures include cases reported through the end of 2005.
- The zip code-defined areas used in this section are described in Section A. Case numbers include all reported cases within the specified geographic area. Because some geographic areas cross city lines, a small number of cases may reside outside of the City of Milwaukee.
- Rates are calculated using 2000 U.S. Census data.

**Table 1d. Reported cases of HIV infection, by area, Milwaukee County,
Cases reported through December 31, 2005**

	Reported 2000-2005			Presumed alive*		
	Cases	%	Rate**	Cases	%	Rate**
City of Milwaukee	938	100%	26.2	2,577	100%	431.7
Area 1	473	50%	29.9	1356	53%	514.4
Area 2	176	19%	30.1	405	16%	416.1
Other	262	28%	18.5	740	29%	313.5
Unknown zip code	27	3%	-	76	3%	-
Other parts of Milwaukee County	143	100%	6.9	290	100%	84.5
Milwaukee County Total	1081	100%	19.2	2,867	100%	304.9

* Cases for which no notification of death has been received.

** Cases per 100,000 population based on 2000 U.S. Census data. The rate for cases reported 2000-2005 is the average annual rate.

*** Percentage of cases for individual risk-exposure categories is based on cases with determined risk.

Table 2d. Reported cases of HIV infection, Milwaukee County, Cases reported through December 31, 2005

	Reported 2000-2005			Presumed alive*		
	Cases	%	Rate**	Cases	%	Rate**
Total	1081	100%	19.2	2,867	100%	304.9
Sex						
Female	274	25%	9.3	623	22%	127.2
Male	807	75%	29.9	2,244	78%	498.0
Race/ethnicity						
African American	589	54%	39.3	1,518	53%	607.8
White	314	29%	8.1	941	33%	145.6
Hispanic	161	15%	27.4	381	13%	388.7
Asian/Pac. Is.	6	1%	3.3	8	0%	26.8
American Indian	2	0%	3.7	9	0%	99.8
Multi-racial	6	1%	-	6	0%	-
Unknown	3	0%	-	4	0%	-
Age at diagnosis						
<5	8	1%	2.0	24	1%	35.7
5-9	1	0%	0.2	6	0%	8.4
10-14	1	0%	0.2	3	0%	4.3
15-19	44	4%	10.7	101	4%	147.1
20-24	127	12%	30.3	376	13%	538.1
25-34	365	34%	43.1	1,230	43%	871.5
35-44	364	34%	42.3	827	29%	576.6
45-54	134	12%	18.9	241	8%	203.8
55+	37	3%	3.2	57	2%	29.8
Unknown	0	0%	-	2	0%	-
Risk exposure category - Total***						
Determined risk	842	78%	-	2,440	85%	-
Men who have sex with men (MSM)	465	55%	-	1,348	55%	-
Injection drug use (IDU)	123	15%	-	418	17%	-
MSM&IDU	48	6%	-	177	7%	-
Hemophilia	2	0%	-	4	0%	-
High-risk heterosexual	191	23%	-	457	19%	-
Transfusion	4	0%	-	9	0%	-
Perinatal transmission	9	1%	-	27	1%	-
Undetermined risk	239	22%	-	427	15%	-

* Cases for which no notification of death has been received.

** Cases per 100,000 population based on 2000 U.S. Census data. The rate for cases reported 2000-2005 is the average annual rate.

*** Percentage of cases for individual risk-exposure categories is based on cases with determined risk.

Table 3d. Reported cases of HIV infection, City of Milwaukee, Cases reported through December 31, 2005

	Reported 2000-2005			Presumed alive*		
	Cases	%	Rate**	Cases	%	Rate**
Total	938	100%	26.2	2,577	100%	431.7
Sex						
Female	250	27%	13.4	578	22%	185.5
Male	688	73%	40.2	1,999	78%	700.5
Race/ethnicity						
African American	556	59%	41.6	1,447	56%	649.1
White	221	24%	12.3	751	29%	251.7
Hispanic	146	16%	34.0	355	14%	495.5
Asian/Pac. Is.	5	1%	4.7	7	0%	39.8
American Indian	2	0%	6.4	9	0%	172.7
Multi-racial	6	1%	-	6	0%	-
Unknown	2	0%	-	2	0%	-
Age at diagnosis						
<5	7	1%	2.5	22	1%	46.3
5-9	1	0%	0.3	4	0%	7.9
10-14	1	0%	0.4	3	0%	6.4
15-19	39	4%	13.8	92	4%	194.8
20-24	108	12%	34.7	341	13%	658.1
25-34	323	34%	57.0	1,129	44%	1195.3
35-44	315	34%	61.2	734	28%	855.6
45-54	110	12%	26.8	206	8%	301.4
55+	34	4%	5.4	46	2%	44.0
Unknown	0	0%	-	0	0%	-
Risk exposure category - Total***						
Determined risk	722	77%	-	2,200	85%	-
Men who have sex with men (MSM)	387	54%	-	1,188	54%	-
Injection drug use (IDU)	112	16%	-	391	18%	-
MSM&IDU	43	6%	-	165	8%	-
Hemophilia	1	0%	-	3	0%	-
High-risk heterosexual	168	23%	-	421	19%	-
Transfusion	3	0%	-	7	0%	-
Perinatal transmission	8	1%	-	25	1%	-
Undetermined risk	216	23%	-	377	15%	-

* Cases for which no notification of death has been received.

** Cases per 100,000 population based on 2000 U.S. Census data. The rate for cases reported 2000-2005 is the average annual rate.

*** Percentage of cases for individual risk-exposure categories is based on cases with determined risk.

Table 4d. Reported cases of HIV infection by sex and risk exposure category, City of Milwaukee, Cases reported through December 31, 2005

	Reported 2000-2005			Presumed alive*		
	Cases	%	Rate**	Cases	%	Rate**
Female total	250	100%	13.4	578	100%	185.5
Risk exposure category***						
Determined risk	166	66%	-	459	79%	-
<i>Injection drug use (IDU)</i>	40	24%	-	129	28%	-
<i>Hemophilia</i>	0	0%	-	0	0%	-
<i>High-risk heterosexual</i>	122	73%	-	314	68%	-
<i>Transfusion</i>	0	0%	-	1	0%	-
<i>Perinatal transmission</i>	4	2%	-	15	3%	-
Undetermined risk	84	34%	-	119	21%	-
Male total	688	100%	40.2	1,999	100%	700.5
Risk exposure category***						
Determined risk	556	81%	-	1,741	87%	-
<i>Men who have sex with men (MSM)</i>	387	70%	-	1,188	68%	-
<i>Injection drug use (IDU)</i>	72	13%	-	262	15%	-
<i>MSM&IDU</i>	43	8%	-	165	9%	-
<i>Hemophilia</i>	1	0%	-	3	0%	-
<i>High-risk heterosexual</i>	46	8%	-	107	6%	-
<i>Transfusion</i>	3	1%	-	6	0%	-
<i>Perinatal transmission</i>	4	1%	-	10	1%	-
Undetermined risk	132	19%	-	258	13%	-

* Cases for which no notification of death has been received.

** Cases per 100,000 population based on 2000 U.S. Census data. The rate for cases reported 2000-2005 is the average annual rate.

*** Percentage of cases for individual risk-exposure categories is based on cases with determined risk.

Table 5d. Reported cases of HIV infection, Milwaukee County exclusive of the City of Milwaukee, Cases reported through December 31, 2005

	Reported 2000-2005			Presumed alive*		
	Cases	%	Rate**	Cases	%	Rate**
Total	143	100%	6.9	290	100%	84.5
Sex						
Female	24	17%	2.2	45	16%	25.3
Male	119	83%	12.0	245	84%	148.3
Race/ethnicity						
African American	33	23%	20.5	71	24%	264.8
White	93	65%	4.5	190	66%	54.6
Hispanic	15	10%	9.5	26	9%	98.6
Asian/Pac. Is.	1	1%	1.4	1	0%	8.1
American Indian	0	0%	0.0	0	0%	0.0
Multi-racial	0	0%	-	0	0%	-
Unknown	1	1%	-	2	1%	-
Age at diagnosis						
<5	1	1%	0.9	2	1%	10.2
5-9	0	0%	0.0	2	1%	9.7
10-14	0	0%	0.0	0	0%	0.0
15-19	5	3%	3.9	9	3%	42.0
20-24	19	13%	17.5	35	12%	193.8
25-34	42	29%	15.0	101	35%	216.4
35-44	49	34%	14.2	93	32%	161.4
45-54	24	17%	8.0	35	12%	70.1
55+	3	2%	0.6	11	4%	12.7
Unknown		0%	-		0%	-
Risk exposure category - Total***						
Determined risk	120	84%	-	240	83%	-
Men who have sex with men (MSM)	78	65%	-	160	67%	-
Injection drug use (IDU)	11	9%	-	27	11%	-
MSM&IDU	5	4%	-	12	5%	-
Hemophilia	1	1%	-	1	0%	-
High-risk heterosexual	23	19%	-	36	15%	-
Transfusion	1	1%	-	2	1%	-
Perinatal transmission	1	1%	-	2	1%	-
Undetermined risk	23	16%	-	50	17%	-

* Cases for which no notification of death has been received.

** Cases per 100,000 population based on 2000 U.S. Census data. The rate for cases reported 2000-2005 is the average annual rate.

*** Percentage of cases for individual risk-exposure categories is based on cases with determined risk.

Table 6d. Reported cases of HIV infection, City of Milwaukee by zip code area, Cases reported through December 31, 2005

	Reported 2000-2005			Presumed alive*		
	Cases	%	Rate**	Cases	%	Rate**
City of Milwaukee	938	100%	26.2	2,577	100%	431.7
Area 1	473	50%	29.9	1356	53%	514.4
Zip code						
53205	32	3%	49.0	99	4%	910.3
53206	90	10%	45.6	216	8%	657.2
53208	86	9%	40.8	280	11%	796.6
53209	64	7%	21.8	164	6%	334.6
53210	42	4%	22.9	131	5%	429.4
53212	77	8%	41.7	252	10%	818.2
53216	39	4%	19.2	109	4%	321.8
53218	43	5%	17.7	105	4%	259.2
Area 2	176	19%	30.1	405	16%	416.1
Zip code						
53204	108	12%	42.5	280	11%	660.7
53215	68	7%	20.6	125	5%	227.5
Other	262	28%	18.5	740	29%	313.5
Unknown zip code	27	3%	-	76	3%	-

* Cases for which no notification of death has been received.

** Cases per 100,000 population based on 2000 U.S. Census data. The rate for cases reported 2000-2005 is the average annual rate.

*** Percentage of cases for individual risk-exposure categories is based on cases with determined risk.

Table 7d. Reported cases of HIV infection, Area 1, Cases reported through December 31, 2005

	Reported 2000-2005			Presumed alive*		
	Cases	%	Rate**	Cases	%	Rate**
Total	473	100%	29.9	1356	100%	514.4
Sex						
Female	156	33%	18.2	368	27%	258.1
Male	317	67%	43.7	988	73%	816.4
Race/ethnicity						
African American	386	82%	35.7	1066	79%	592.2
White	62	13%	16.1	215	16%	335.7
Hispanic	19	4%	31.6	67	5%	668.1
Asian/Pac. Is.	0	0%	0.0	0	0%	0.0
American Indian	0	0%	0.0	2	0%	162.2
Multi-racial	5	1%	-	5	0%	-
Unknown	1	0%	-	1	0%	-
Age at diagnosis						
<5	2	0%	1.4	13	1%	55.6
5-9	1	0%	0.6	4	0%	14.4
10-14	0	0%	0.0	1	0%	3.7
15-19	28	6%	20.9	67	5%	299.9
20-24	57	12%	54.2	196	14%	1118.2
25-34	164	35%	74.8	598	44%	1635.4
35-44	142	30%	62.3	351	26%	924.2
45-54	63	13%	34.3	104	8%	339.5
55+	16	3%	6.5	22	2%	54.0
Unknown	0	0%	-	0	0%	-
Risk exposure category - Total***						
Determined risk	349	74%	-	1133	84%	-
Men who have sex with men (MSM)	177	51%	-	548	48%	-
Injection drug use (IDU)	55	16%	-	218	19%	-
MSM&IDU	15	4%	-	91	8%	-
Hemophilia	0	0%	-	1	0%	-
High-risk heterosexual	99	28%	-	257	23%	-
Transfusion	0	0%	-	2	0%	-
Perinatal transmission	3	1%	-	16	1%	-
Undetermined risk	124	26%	-	223	16%	-

* Cases for which no notification of death has been received.

** Cases per 100,000 population based on 2000 U.S. Census data. The rate for cases reported 2000-2005 is the average annual rate.

*** Percentage of cases for individual risk-exposure categories is based on cases with determined risk.

Table 8d. Reported cases of HIV infection, Area 2, Cases reported through December 31, 2005

	Reported 2000-2005			Presumed alive*		
	Cases	%	Rate**	Cases	%	Rate**
Total	176	100%	30.1	405	100%	416.1
Sex						
Female	43	24%	15.0	109	27%	228.8
Male	133	76%	44.6	296	73%	595.6
Race/ethnicity						
African American	37	21%	109.9	61	15%	1087.3
White	37	21%	11.5	111	27%	207.0
Hispanic	99	56%	34.0	228	56%	469.6
Asian/Pac. Is.	2	1%	9.0	2	0%	54.2
American Indian	1	1%	7.4	3	1%	133.0
Multi-racial	0	0%	-	0	0%	-
Unknown	0	0%	-	0	0%	-
Age at diagnosis						
<5	4	2%	7.1	6	1%	64.2
5-9	0	0%	0.0	0	0%	0.0
10-14	0	0%	0.0	1	0%	12.3
15-19	4	2%	7.8	11	3%	129.2
20-24	27	15%	51.2	53	13%	602.8
25-34	65	37%	66.4	176	43%	1078.4
35-44	54	31%	65.8	124	31%	906.4
45-54	15	9%	26.7	26	6%	277.7
55+	7	4%	8.4	8	2%	57.6
Unknown		0%	-		0%	-
Risk exposure category - Total***						
Determined risk	145	82%	-	354	87%	-
Men who have sex with men (MSM)	61	42%	-	139	39%	-
Injection drug use (IDU)	29	20%	-	87	25%	-
MSM&IDU	12	8%	-	26	7%	-
Hemophilia	0	0%	-	0	0%	-
High-risk heterosexual	37	26%	-	94	27%	-
Transfusion	2	1%	-	2	1%	-
Perinatal transmission	4	3%	-	6	2%	-
Undetermined risk	31	18%	-	51	13%	-

* Cases for which no notification of death has been received.

** Cases per 100,000 population based on 2000 U.S. Census data. The rate for cases reported 2000-2005 is the average annual rate.

*** Percentage of cases for individual risk-exposure categories is based on cases with determined risk.

Table 9d. Reported cases of HIV infection, City of Milwaukee outside of Area 1 and Area 2, Cases reported through December 31, 2005


	Reported 2000-2005			Presumed alive*		
	Cases	%	Rate**	Cases	%	Rate**
Total	262	100%	18.5	740	100%	313.5
Sex						
Female	49	19%	6.7	96	13%	79.1
Male	213	81%	31.0	644	87%	561.8
Race/ethnicity						
African American	117	45%	52.3	282	38%	755.9
White	115	44%	10.6	395	53%	218.6
Hispanic	24	9%	30.6	53	7%	405.6
Asian/Pac. Is.	3	1%	8.8	5	1%	87.6
American Indian	1	0%	9.7	3	0%	174.1
Multi-racial	1	0%	-	1	0%	-
Unknown	1	0%	-	1	0%	-
Age at diagnosis						
<5	0	0%	0.0	2	0%	13.5
5-9	0	0%	0.0	0	0%	0.0
10-14	1	0%	1.4	1	0%	8.4
15-19	6	2%	6.1	13	2%	79.4
20-24	22	8%	14.4	80	11%	313.8
25-34	84	32%	33.7	330	45%	794.0
35-44	113	43%	55.2	236	32%	691.5
45-54	27	10%	15.9	65	9%	229.3
55+	9	3%	3.0	13	2%	26.0
Unknown	0	0%	-	0	0%	-
Risk exposure category - Total***						
Determined risk	207	79%	-	653	88%	-
Men who have sex with men (MSM)	143	69%	-	474	73%	-
Injection drug use (IDU)	21	10%	-	66	10%	-
MSM&IDU	12	6%	-	42	6%	-
Hemophilia	1	0%	-	2	0%	-
High-risk heterosexual	29	14%	-	64	10%	-
Transfusion	1	0%	-	3	0%	-
Perinatal transmission	0	0%	-	2	0%	-
Undetermined risk	55	21%	-	87	12%	-

* Cases for which no notification of death has been received.

** Cases per 100,000 population based on 2000 U.S. Census data. The rate for cases reported 2000-2005 is the average annual rate.


*** Percentage of cases for individual risk-exposure categories is based on cases with determined risk.

Figure 1d. Persons living with HIV infection* per 100,000 population, by zip code, December 31, 2005, Milwaukee County, Wisconsin




* Wisconsin Division of Public Health data.

Figure 2d. Males living with HIV infection* per 100,000 population, by zip code, December 31, 2005, Milwaukee County, Wisconsin



* Wisconsin Division of Public Health data.

Figure 3d. Females living with HIV infection* per 100,000 population, by zip code, December 31, 2005, Milwaukee County, Wisconsin



* Wisconsin Division of Public Health data.